

Weicon GmbH

Revision date: 13.03.2010

Revision no.:

1,00

Repair Stick Steel

7619-0203

1. Product and Company Identification

Commercial product name

Repair Stick Steel

Further trade names

10535

Chemical characterization (Mixture)

2-Component Epoxy Resins

Company/undertaking identification

Manufacturer

Weicon GmbH

Königsberger Straße 255

D-48157 Münster

Telephone: +49 (0) 251 9322 - 0

Telefax: +49 (0) 251 9322 - 244

e-mail: info@weicon.de

Internet: www.weicon.de

Responsible for the safety data sheet: sds@gbk-ingelheim.de

2. Hazards Identification

Route(s) of Entry

Skin and eye contact, inhalation and ingestion.

Signs and Symptoms of Exposure

CAUTION !

May cause eye/skin irritation.

May cause sensitization by skin contact

OSHA Hazard Communication: This material is considered hazardous by the OSHA Hazard Communication Standard 29CFR 1910.1200.

Carcinogenicity (NTP): not listed

Carcinogenicity (IARC): not listed

Carcinogenicity (OSHA): not listed

3. Composition/Information on Ingredients

Hazardous components

| CAS No. | Components | Quantity |
|------------|--|-----------|
| 25068-38-6 | epoxy resin (number average molecular weight <= 700), reaction product: bisphenol-A-(epichlorhydrin) | 15 - 24 % |
| 90-72-2 | 2,4,6-tris(dimethylaminomethyl)phenol | 1 - 10 % |

4. First Aid Measures

General information

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment.

After contact with skin

In case of contact with skin wash off with water.

Do not use solvents or thinners.

Consult a doctor if skin irritation persists.

Weicon GmbH

Revision date: 13.03.2010

Revision no.:

1,00

Repair Stick Steel

7619-0203

After contact with eyes

May cause superficial burns.

Rinse eyes immediately with large amounts of water for several minutes, especially under the eyelids.

Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting.

Summon a doctor immediately.

If swallowed by mistake drink plenty of water and seek medical treatment.

Rinse out mouth thoroughly with water.

Advice to physician

In the event of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

5. Fire Fighting Measures

Suitable extinguishing media

Foam, carbon dioxide (CO₂), dry chemical, water-spray.

Special hazards arising from the chemical

Fire may produce:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Nitrogen oxides (NO_x)

Protective equipment and precautions for firefighters

A self contained breathing apparatus should be worn in fire conditions.

6. Accidental Release Measures

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Remove persons to safety.

Environmental precautions

Clean contaminated surface thoroughly.

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up with absorbent material.

Shovel into suitable container for disposal.

7. Handling and Storage

Handling

Advice on safe handling

Use only in thoroughly ventilated areas.

Avoid contact with skin, eyes and clothing.

When using, do not eat, drink or smoke.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

Further information on handling

Keep in closed original container.

Storage

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Protect from direct solar radiation.

Protect from heat/overheating.

Weicon GmbH

Revision date: 13.03.2010

Revision no.:

1,00

Repair Stick Steel

7619-0203

8. Exposure Controls/Personal Protection

Exposure limit values

Additional advice on limit values

Contains epoxy compounds. Observe the instructions of the manufacturer

Occupational exposure controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale gases/vapours/aerosols.

When using, do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Wash hands before breaks and after work.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A).

Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, Minimum coat thickness 0.6 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection

Tightly fitting goggles

Skin protection

Protective clothing

9. Physical and Chemical Properties

Appearance

| | |
|--------|-------------------|
| Form: | Pasty |
| Color: | Various |
| Odor: | Hardly noticeable |

Important health, safety and environmental information

Test method

Changes in the physical state

| | |
|---------------------------------|-----------|
| Flash point: | >200 °C |
| Density (at 20 °C): | n.d. |
| Water solubility: (at 20 °C) | Insoluble |

10. Stability and Reactivity

Stability

Stable

Conditions to avoid

To avoid thermal decomposition, do not overheat.

Keep away from heat.

Materials to avoid

Reactions with strong acids and alkalis.

Reactions with strong oxidizing agents.



Weicon GmbH

Revision date: 13.03.2010

Revision no.:

1,00

Repair Stick Steel

7619-0203

Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Nitrous oxides (NOx)

Toxic gases/vapours

Possibility of Hazardous Reactions

Will not occur

Additional information

No decomposition if stored and applied as directed.

11. Toxicological Information

Corrosive and irritant effects

Skin irritation (rabbit): Irritant Rabbit

Eye irritation (rabbit): Irritant Rabbit eye

Sensitizing effects

May cause sensitization by inhalation.

Sensitization through skin contact possible.

Empirical data on effects on humans

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

12. Ecological Information

Further information

Do not discharge product unmonitored into the environment.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Product is not allowed to be discharged into aquatic environment.

13. Disposal Considerations

Advice on disposal

Remove in accordance with local official regulations.

Uncontaminated packaging may be treated as household waste.

Packaging that cannot be cleaned should be disposed of like the product.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packagings are to be treated like the product itself.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

14. Transport Information

US DOT 49 CFR 172.101

Proper shipping name

Not regulated.

Land transport (ADR/RID)

Description of the goods

No hazardous material as defined by the transport regulations.

15. Regulatory Information

U.S. Regulations

National Inventory TSCA

All of the components are listed on the TSCA inventory.

SARA

To the best of our knowledge this product contains no toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Weicon GmbH

Revision date: 13.03.2010

Revision no.:

1,00

Repair Stick Steel

7619-0203

16. Other Information**Hazardous Materials Information Label (HMIS)**

Health: 2

Flammability: 1

Physical Hazard: 0


NFPA Hazard Ratings

Health: 2

Flammability: 1

Reactivity: 0

Unique Hazard:

**Other data**

Data of sections 4 to 8, as well as 10 to 12, do not necessarily refer to the use and the regular handling of the product (in this sense consult package leaflet and expert information), but to release of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)