



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

1 of 12

### 1. Product and company identification

#### Product identifier

Trade name: Foam Cleaner NSF

#### Relevant identified uses of the substance or mixture and uses advised against

General use: Technical aerosol  
Reserved for industrial and professional use.

#### Details of the supplier of the safety data sheet

Company name: WEICON Inc.  
Street/POB-No.: 20 Steckle Place, Unit 20  
Postal Code, city: Kitchener, Ontario N2E 2C3, CA  
WWW: www.weicon.ca  
E-mail: info@weicon.ca  
Telephone: +1-519-896-5252  
Telefax: +1-519-896-5254  
Dept. responsible for information:  
Product-Safety-Department  
Telephone: +49(0)251 / 9322 - 0, Email: msds@weicon.de

#### Emergency phone number

**EMERGENCY CONTACT – Canada (24h): Tel: +1 866 928 0789 (Toll free)**

**Transport:**

**TRANSPORT EMERGENCY CONTACT - Canada (24h): Tel: +1 866 928 0789 (Toll free)**

### 2. Hazards identification

#### Emergency overview

Appearance: Form: Aerosol  
Color: colorless  
Odor: fruity  
Classification: Flammable Aerosol 1; Compressed Gas; Eye Irritation 2A;  
Hazard symbols:



Signal word: **Danger**  
Hazard statements: Extremely flammable aerosol.  
Contains gas under pressure; may explode if heated.  
Causes serious eye irritation.



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

2 of 12

Precautionary statements: Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Wash hands and face thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
Store in a well-ventilated place.  
Protect from sunlight. Store in a well-ventilated place.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

### Hazards not otherwise classified

Exposure to temperatures exceeding 50 °C will increase pressure: resulting in danger of bursting or explosion.  
Potentially explosive mixtures may form if adequate ventilation is not provided.  
Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
Higher doses may have a narcotic effect. Danger of metabolic acidosis.  
see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 67-63-0	Isopropyl alcohol	10 - 15 %	Flammable Liquid 2. Eye Irritation 2A. Specific Target Organ Toxicity (Single Exposure) 3.
CAS 137-16-6	Sodium N-lauroylsarcosinate	< 1 %	Acute Toxicity 2 (inhalative). Skin Irritation 2. Eye Damage 1.
CAS 1336-21-6	Ammonia (2,5%)	< 0.5 %	Skin Corrosion 1B. Specific Target Organ Toxicity (Single Exposure) 3. Aquatic toxicity - acute 1.
CAS 5989-27-5	(R)-p-Mentha-1,8-diene	< 0.1 %	Flammable Liquid 3. Skin Irritation 2. Sensitization - skin 1. Aquatic toxicity - acute 1. Aquatic toxicity - chronic 1.
CAS 5392-40-5	Citral	< 0.1 %	Skin Irritation 2. Sensitization - skin 1.
CAS 75-28-5	Isobutane, pure	2.5 - 5 %	Flammable Gas 1. Compressed Gas.
CAS 74-98-6	Propane	2.5 - 5 %	Flammable Gas 1. Compressed Gas.

Additional information: < 15% aliphatic hydrocarbons, < 5% anionic surfactants, < 5% perfumes (Citral, D-Limonene)



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

3 of 12

### 4. First aid measures

- General information: IF exposed or concerned: Get medical advice/attention. First aider: Pay attention to self-protection!
- In case of inhalation: Move victim to fresh air, put at rest and loosen restrictive clothing. Seek medical aid in case of troubles.
- Following skin contact: Wash with generous amount of water and soap. Take off contaminated clothing. Consult a doctor if skin irritation persists.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
- After swallowing: Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical treatment in case of troubles.

#### Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
Higher doses may lead to a narcotic effect.

#### Information to physician

Treat symptomatically.

### 5. Fire fighting measures

- Flash point/flash point range: not applicable
- Auto-ignition temperature: not determined
- Suitable extinguishing media: Atomized water, alcohol resistant foam, extinguishing powder, carbon dioxide
- Extinguishing media which must not be used for safety reasons: Full water jet

#### Specific hazards arising from the chemical

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.  
On heating or in case of fire toxic gases may form.  
In case of fire may be liberated: Aldehydes, carbon monoxide and carbon dioxide.

#### Protective equipment and precautions for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing. Do not breathe fumes.

#### Additional information:

Heating will lead to pressure increase: Danger of bursting and explosion.  
Cool endangered containers with water spray and, if possible, remove from danger zone.  
Move undamaged containers from immediate hazard area if it can be done safely.  
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.  
Do not allow fire water to penetrate into surface or ground water.  
Cool endangered containers with water spray and, if possible, remove from danger zone.  
Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

### 6. Accidental release measures

- Personal precautions: Eliminate all ignition sources if safe to do so.  
Provide adequate ventilation. Do not breathe vapor or spray.  
Wear appropriate protective equipment. Avoid contact with skin and eyes.  
Cordon off downwind area at risk and warn inhabitants.



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

4 of 12

### Environmental precautions:

Do not allow to enter into ground-water, surface water or drains. In case of release, notify competent authorities.

### Methods for clean-up:

Take up with non-flammable, liquid binding material (e.g. sand/earth/diatomaceous earth/vermiculit) and perform disposal according to instructions.

### Additional information:

Use explosion-proof equipment and non-sparking tools/utensils.

## 7. Handling and storage

### Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Do not breathe vapor or spray.

Wear appropriate protective equipment. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

### Storage

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store containers in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

Do not store together with combustible or self-igniting materials or any highly flammable solids.



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

5 of 12

### 8. Exposure controls / personal protection

#### Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
67-63-0	Isopropyl alcohol	Canada, Alberta: OEL 15 min	984 mg/m <sup>3</sup> ; 400 ppm
		Canada, Alberta: OEL 8 hour	492 mg/m <sup>3</sup> ; 200 ppm
		Canada, BC: OEL STEL	400 ppm
		Canada, BC: OEL TWA	200 ppm
		Canada, Québec: VECD	1230 mg/m <sup>3</sup> ; 500 ppm
		Canada, Québec: VEMP	985 mg/m <sup>3</sup> ; 400 ppm
		USA: ACGIH: STEL	984 mg/m <sup>3</sup> ; 400 ppm
		USA: ACGIH: TWA	492 mg/m <sup>3</sup> ; 200 ppm
		USA: NIOSH: STEL	1225 mg/m <sup>3</sup> ; 500 ppm
		USA: NIOSH: TWA	980 mg/m <sup>3</sup> ; 400 ppm
1336-21-6	Ammonia (2,5%)	Canada, Alberta: OEL 15 min	24 mg/m <sup>3</sup> ; 35 ppm
		Canada, Alberta: OEL 8 hour	17 mg/m <sup>3</sup> ; 25 ppm
		Canada, BC: OEL STEL	35 ppm
		Canada, BC: OEL TWA	25 ppm
		Canada, Québec: VECD	24 mg/m <sup>3</sup> ; 35 ppm
		Canada, Québec: VEMP	17 mg/m <sup>3</sup> ; 25 ppm
		USA: ACGIH: STEL	24 mg/m <sup>3</sup> ; 35 ppm
		USA: ACGIH: TWA	17 mg/m <sup>3</sup> ; 25 ppm
		USA: NIOSH: STEL	27 mg/m <sup>3</sup> ; 35 ppm
		USA: NIOSH: TWA	18 mg/m <sup>3</sup> ; 25 ppm
5392-40-5	Citral	USA: OSHA: TWA	35 mg/m <sup>3</sup> ; 50 ppm
		USA: ACGIH: TWA	5 ppm inhalable fraction and vapor; may be absorbed through the skin
75-28-5	Isobutane, pure	Canada, Ontario: OEL TWA	800 ppm
		USA: ACGIH: TWA	1000 ppm
		USA: NIOSH: TWA	1900 mg/m <sup>3</sup> ; 800 ppm
74-98-6	Propane	Canada, Alberta: OEL 8 hour	1000 ppm
		Canada, Québec: VEMP	1800 mg/m <sup>3</sup> ; 1000 ppm
		USA: NIOSH: TWA	1800 mg/m <sup>3</sup> ; 1000 ppm
		USA: OSHA: TWA	1800 mg/m <sup>3</sup> ; 1000 ppm

Biological limit values:

CAS No.	Designation	Type	Limit value	Parameter	Sampling
67-63-0	Isopropyl alcohol	USA: ACGIH-BEI, urine	40 mg/L	Acetone in urine	end of shift at end of workweek

#### Engineering controls

Provide good ventilation and/or an exhaust system in the work area.  
See also information in chapter 7, section storage.

#### Personal protection equipment (PPE)

Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection: Wear suitable protective clothing.



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

6 of 12

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.  
Glove material: Butyl caoutchouc (butyl rubber) - Layer thickness:  $\geq 0.7$  mm  
Breakthrough time:  $> 480$  min  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.  
If higher concentrations occur: Wear self-contained breathing apparatus.

General hygiene considerations:  
Obtain special instructions before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not pierce or burn, even after use.  
Do not breathe vapor or spray.  
Change contaminated clothing. Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Wash hands before breaks and after work.  
Work place should be equipped with a shower and an eye rinsing apparatus.  
Contaminated work clothing should not be allowed out of the workplace.  
Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance:	Form: Aerosol Color: colorless
Odor:	fruity
Odor threshold:	No data available
pH value:	at 20 °C: $\leq 11.5$
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not applicable
Flash point/flash point range:	not applicable
Evaporation rate:	not determined
Flammability:	Extremely flammable aerosol.
Explosion limits:	LEL (Lower Explosion Limit): not determined UEL (Upper Explosive Limit): not determined
Vapor pressure:	at 20 °C: approx. 5 hPa
Vapor density:	not determined
Density:	at 20 °C: 0.9 g/mL
Water solubility:	miscible
Partition coefficient: n-octanol/water:	not determined
Auto-ignition temperature:	not determined
Thermal decomposition:	No data available
Viscosity, dynamic:	not determined
Viscosity, kinematic:	not determined
Explosive properties:	Product is not explosive. Potentially explosive vapor/air mixtures may form.
Ignition temperature:	$> 200$ °C
Solvent content:	22.5 %
Water content:	75.7 %



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page: 7 of 12

### 10. Stability and reactivity

Reactivity:	Extremely flammable aerosol. Vapors may form explosive mixtures with air.
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions	Contains gas under pressure; may explode if heated.
Conditions to avoid:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible materials:	Do not store together with combustible or self-igniting materials or any highly flammable solids.
Hazardous decomposition products:	Aldehydes, carbon monoxide and carbon dioxide.
Thermal decomposition:	No data available

### 11. Toxicological information

#### Toxicological tests

Toxicological effects:	The statements are derived from the properties of the single components. No toxicological data is available for the product as such. Acute toxicity (oral): Lack of data. Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Based on available data, the classification criteria are not met. ATEmix (calculated): > 5 mg/L. (dusts, mist) Skin corrosion/irritation: Lack of data. Serious eye damage/irritation: Eye Irritation 2A = Causes serious eye irritation. Sensitisation to the respiratory tract: Lack of data. Skin sensitisation: Lack of data. Germ cell mutagenicity/Genotoxicity: Lack of data. Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data. Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data. Aspiration hazard: Lack of data.
------------------------	---



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page: 8 of 12

Other information: Information about Isopropyl alcohol:  
LD50 Rat, oral: 5045 mg/kg bw (OECD 401)  
LD50 Rabbit, dermal: 12800 mg/kg (OECD 402)  
LC50 Rat, inhalative: > 25mg/l/4h (OECD 403)  
For carcinogenic effects:  
Information about Isopropyl alcohol:  
IARC Rating: Group 3  
OSHA Carcinogen: not listed  
NTP Rating: not listed  
Information about (R)-p-Mentha-1,8-diene:  
IARC Rating: Group 3  
OSHA Carcinogen: not listed  
NTP Rating: not listed

### Symptoms

In case of inhalation:  
Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
Higher doses may have a narcotic effect.  
After contact with skin:  
Prolonged/repetitive skin contact may cause skin defatting or dermatitis.  
After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

### General remarks

Further hazardous properties cannot be excluded.

## 12. Ecological information

### Ecotoxicity

Aquatic toxicity: Information about Isopropyl alcohol:  
Algae toxicity:  
EC50 Green algae: >100 mg/L/72h.  
Bacterial toxicity:  
EC50: >100 mg/L  
EC5 Pseudomonas putida : 1,050 mg/L/16h.  
Daphnia toxicity:  
EC50 Daphnia magna (Big water flea): 9,714 mg/L/48h.  
Fish toxicity:  
LC50 Lepomis macrochirus (bluegill): 1,400 mg/L/96h.  
LC50 Leuciscus idus test: 8,970 mg/L/48h.  
LC50 Pimephales promelas (fathead minnow): 9,640 mg/L/96h.

### Mobility in soil

No data available

### Persistence and degradability

Further details: No data available

### Additional ecological information

Volatile organic compounds (VOC):  
22.5 % by weight = 208.2 g/L  
General information: Do not allow to enter into ground-water, surface water or drains.





# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page:

9 of 12

### 13. Disposal considerations

#### Product

Recommendation: Do not pierce or burn, even after use.  
Special waste. Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.  
Empty carefully and completely, if possible. Handle empty containers with care.  
Incineration may cause explosion.

### 14. Transport information

#### USA: Department of Transportation (DOT)

Identification number: UN1950  
Proper shipping name: UN 1950, UN 1950, AEROSOLS  
Hazard class or Division: 2.1  
Labels: 2.1  
Special provisions: N82  
Packaging – Exceptions: 306  
Packaging – Non-bulk: None  
Packaging – Bulk: None  
Quantity limitations – Passenger aircraft / rail: 75 kg  
Quantity limitations – Cargo only: 150 kg  
Vessel stowage – Location: A  
Vessel stowage – Other: 25, 87, 126



#### Canada: Transportation of Dangerous Goods (TDG)

UN Number: UN1950  
Shipping name: UN 1950, AEROSOLS  
TDG class: 2.1  
Special provisions: 80, 107  
Explosive limit and limited quantity index: 1 L  
Passenger carrying road or rail index: 75 L



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page: 10 of 12

### Sea transport (IMDG)

UN number: UN 1950  
Proper shipping name: UN 1950, AEROSOLS  
Class or division, Subsidiary risk: Class 2, Subrisk -, see SP63  
Packing Group: -  
EmS: F-D, S-U  
Special provisions: 63, 190, 277, 327, 344, 381, 959  
Limited quantities: See SP277  
Excepted quantities: E0  
Contaminated packaging - Instructions: P207, LP200  
Contaminated packaging - Provisions: PP87, L2  
IBC - Instructions: -  
IBC - Provisions: -  
Tank instructions - IMO: -  
Tank instructions - UN: -  
Tank instructions - Provisions: -  
Stowage and handling: SW1 SW22  
Segregation: SG69  
Properties and observations: -  
Marine pollutant: no  
Segregation group: none

### Air transport (IATA)

UN/ID number: UN 1950  
Proper shipping name: UN 1950, AEROSOLS, flammable  
Class or division, Subsidiary risk: Class 2.1  
Hazard label: Flamm. gas  
Excepted Quantity Code: E0  
Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y203 - Max. Net Qty/Pkg. 30 kg G  
Passenger and Cargo Aircraft: Pack.Instr. 203 - Max. Net Qty/Pkg. 75 kg  
Cargo Aircraft only: Pack.Instr. 203 - Max. Net Qty/Pkg. 150 kg  
Special provisions: A145 A167 A802  
Emergency Response Guide-Code (ERG): 10L

## 15. Regulatory information

### National regulations - Canada

No data available



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page: 11 of 12

### National regulations - U.S. Federal Regulations

Isopropyl alcohol:	TSCA Inventory: listed TSCA HPVC: not listed Carcinogen Status: IARC Rating: Group 3 OSHA Carcinogen: not listed NTP Rating: not listed NIOSH Recommendations: Occupational Health Guideline: 0359
Sodium N-lauroylsarcosinate:	TSCA Inventory: listed TSCA HPVC: not listed
(R)-p-Mentha-1,8-diene:	TSCA Inventory: listed TSCA HPVC: not listed Carcinogen Status: IARC Rating: Group 3 OSHA Carcinogen: not listed NTP Rating: not listed Other Environmental Laws: Marine Pollutant: listed as pollutant.
Citral:	TSCA Inventory: listed TSCA HPVC: not listed
Isobutane, pure:	TSCA Inventory: listed TSCA HPVC: not listed Clean Air Act: Accidental Release Prevention: Threshold 10000 lbs. / Basis for listing = f NIOSH Recommendations: Occupational Health Guideline: 0350*
Propane:	TSCA Inventory: listed TSCA HPVC: not listed Clean Air Act: Accidental Release Prevention: Threshold 10000 lbs. / Basis for listing = f NIOSH Recommendations: Occupational Health Guideline: 0524



# SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010

Revision date: 21/Feb/2018

Version: 1

Language: en-CA,US

Date of print: 13/Mar/2018

## Foam Cleaner NSF

Material number 112090

Page: 12 of 12

### National regulations - U.S. State Regulations

Isopropyl alcohol: Idaho Air Pollutant List:  
 Title 585: AAC: 49 -- EL: 65.3 -- WEL: 980 -Title 586: -  
 Massachusetts Haz. Substance codes: 2,4,5,6 F9  
 Minnesota Haz. Substance:  
 Codes: ANO -- Ratings: 7.84 -- Status: Title III. TRI.  
 New Jersey RTK Hazardous Substance:  
 DOT: 1219 - Sub No.: 1076 - TPQ: -  
 Pennsylvania Haz. Substance code: E  
 Washington Air Contaminant:  
 TWA: 400 ppm - 980 mg -- STEL: 500 ppm - 1225 mg

Isobutane, pure: California Proposition 65 code: -  
 Delaware Air Quality Management List:  
 DRQ: F 1000\*\* - RQ State: State requirements differs from Federal  
 Massachusetts Haz. Substance codes: 6  
 New Jersey RTK Hazardous Substance:  
 DOT: 1969 - Sub No.: 1040 - TPQ: -  
 Pennsylvania Haz. Substance code: -

Propane: California Proposition 65 code: -  
 Delaware Air Quality Management List:  
 DRQ: F 1000\*\* - RQ State: State requirements differs from Federal  
 Massachusetts Haz. Substance codes: 2,4,5,6  
 Minnesota Haz. Substance:  
 Codes: AP - Ratings: - - Status: Title III  
 New Jersey RTK Hazardous Substance:  
 DOT: 1978 - Sub No.: 1594 - TPQ: -  
 Pennsylvania Haz. Substance code: -  
 Washington Air Contaminant:  
 TWA: 1000 ppm - 1800 mg

## 16. Other information

Text for labeling: Contains 10 - 15 % Isopropyl alcohol, < 1 % Sodium N-lauroylsarcosinate, < 0.5 % Ammonia (2,5%), < 0.1 % (R)-p-Mentha-1,8-diene, < 0.1 % Citral, 2.5 - 5 % Isobutane, pure, 2.5 - 5 % Propane. Safety data sheet available on request.

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)  
Fire: 4 (Severe)  
Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)  
Flammability: 4 (Severe)  
Physical Hazard: 0 (Minimal)  
Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	0
	X

Date of first version: 21/Feb/2018

### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.